### studiobricks

# Stand Up 1-6

Last Update | August 2021



### Measurements

Outside (WxLxH)	198 x 168 x 247 cm (6.5 x 5.5 x 8.1 ft)
Inside (WxLxH)	180 x 145 x 210 cm (4.8 x 5.9 x 6.9 ft)
Minimum ceiling height	250 cm (8.2 ft)
Weight	912 kg (2010 lb)
Оссирапсу	Six people

#### Structure

Wall thickness	8 cm (3.5 in)
Ecofriendly material	Yes
· Double skin pressed from several layers of fire	e retardant EZ (Carb2) MDF & acoustic foam.

- · Non-invasive wood-glue is used to adhere layers.
- · No use of mineral wool or other destructive inputs.
- $\cdot\,$  Interior acoustic absorbers are fixed tightly with water-based adhesive.
- · Water-based paint, no use of solvents.

Fire safety	Yes (see FAQ on webpage).
CE mark	The whole booth is CE certificated.
Award	Leap in Time Future Proof Office 2019.
Virlab Seismic Qualification Certificate 203143C - Earthquake test	Passed successfully.
ISO 9001:2015	Studiobricks has passed the Quality management systems certification process successfully.
ISO 14001:2015	Studiobricks passed succefully the Environmental management systems certification process.
TÜV SÜD Indoor Air Quality Test	Successfully passed the VOC Testing.



### Silence & freedom to focus on what matters.

# Comfortable privacy for confidential conversations.

Studiobricks has been perfecting its sound control technology for over 11 years to give you the superpower of silence!

This model is part of Studiobricks Focus Spaces, larger customized sound isolation spaces for conferences, presentations, focused work and calls. With the highest performing sound control in the market. Let's build the perfect space for your team.

### Fits up to six people\*

Perfect for phone calls, video conferences, meetings, or a quiet resting space.

\* The occupancy suggestions are for guidance only. Depending on your social distancing protocols and policies the occupancy limits may vary.



## OFFICE BOOTHS

### studiobricks

# Stand Up 1-6

### Isolation

Two-way sound isolation	Yes	
Acoustic measurement (dB)	45 dB (view report from independent laboratory)	
Pleasant room accuration by the use of appendic accurate absorbers (until a 0.0 (depending on		

 $\cdot$  Pleasant room acoustics by the use of special acoustic absorbers (until  $\alpha_w$  0.9 (depending on the frequency) sound absorption coefficient (DIN EN ISO 354).

 $\cdot$  Sound control glass door with dark grey aluminium frame and temperature/sound edge spacer. Block of silent laminated safety glass with air chamber 3+3+16+5+5 mm (0.1+0.1+0.6+0.2+0.2 in). With acoustic sealing through lifting up the door handle.


### **Standard Configuration**


Wheelchair accessible door with ramp

Standard Configuration	
Color	White (RAL 9016)
Acoustic absorber	Recycled PET. Dark grey.
Sound control glass door	90 x 210 cm (35.4 x 82.7 in) right-hinged door, opening to the outside. Anthracite aluminum frame with a block of silent laminated safety glass and temperature/sound edge spacer and air chamber: $3+3+16+5+5$ mm (0.1+0.1+0.6+ 0.2+0.2 in). Acoustic sealing.
2 Sound control lateral windows	Height 90 x 210 cm (35.4 x 82.7 in) with anthracite aluminum frame with a block of silent laminated safety glass and temperature/ sound edge spacer with air chamber $3+3+16+5+5$ mm (0.1+0.1 + 0.6 + 0.2+0.2 in).
Integrated high desk	Height 110 cm (43.3 in), 180 cm (70.8 in) length, 45 cm (17.7 in) depth
Power connection	2 Outlets and 1 double USB port.
Soundproof ventilation	1 Active soundproof ventilation muffler on the roof, extremely quiet, connected to the occupancy sensor and also regulable, the occupancy sensor substitutes the switch contributing to power savings.
Integrated lighting	LED with sensor.
Wi-fi/mobile	Wifi and cellular signals pass properly so that all devices can be used normally.
Carpet	Anthracite bound. Permanently antistatic.
Optional Equipment	
Lacquer color	Ask us for other RAL or special finishing (chrome, copper, metallic)
Laminate	WALNUT OAK MAPLE GRAY POLAR WHITE
Acoustic absorber fabrics	CORAL P MUSTARD P OLIVE P AQUA P TOASTED CHESTNUT P DARK GRAY P GRAY P LIGHT GRAY
Change height of integrated desk	Height 75 cm (29.5 in), 180 cm (71 in) length, 45 cm (18 in) depth.

Ramp width: 92 cm (36.2 in). Two door options available: sound isolated lacquered wood door (97 cm (38.2 in) width, 85 cm (31.5 in) inside width) or glass sound control door (92 cm (36.2 in) width, 80 cm (31.5 in) inside width).

### Measurements







### studiobricks

### **OFFICE BOOTHS**

# Stand Up 1-6

Left-hand opening	Yes, always opening to the outside.
Lockable door	Yes
Door(s) can be positioned at the sides as well	Yes
Frosted glass (treated glass, no film)	Yes, on door or window.
Take windows away	Yes, you can substitute the windows with wall panels.
Branding	Custom-made design solutions (in line with CI guidelines or adaptation to existing office).
Special coating	Special resistant acrylic surface enables frequent (dis)assembly a trade and roadshows.
Ethernet port	Yes
ON AIR signal	Illuminates to indicate occupancy. Connected to sensor.
TV bracket VESA, HDMI, power plug	Yes
Floor outlet cover box with four additional plugs	Yes
Power supply through roof	Yes

### Studiobricks S.L.

(Headquarters and factory) C/ Segarra, 1, Pol. Ind. La Serra, Lliçà de Vall, 08185 Barcelona, Spain Phone: +34 93 8437459 / +34 605 627 128 info@studiobricks.com www.studiobricks.com



100% Freedom 0% Disturbances