

## OFFICE BOOTHS

## Stand Up 1-3

Last Update | August 2021



**Silence & freedom to focus on what matters.**

**Perfect office booth for phone calls and video conferences.**

Studiobricks has been perfecting its sound control technology for over 11 years to give you the superpower of silence!

**Comfortable privacy for high concentration work.**

Fits up to three people\* Office booth with the highest sound isolation in the market.

\* The occupancy suggestions are for guidance only. Depending on your social distancing protocols and policies the occupancy limits may vary.

#### Measurements

Outside (WxLxH)	168 x 121 x 226 cm (5.5 x 4 x 7.4 ft)
Inside (WxLxH)	148 x 101 x 210 cm (4.9 x 3.4 x 6.9 ft)
Minimum ceiling height	240 cm (7.9 ft)
Weight	631 kg (1391 lb)
Occupancy	Three people

#### Structure

Wall thickness	8 cm (3.5 in)
Ecofriendly material	Yes

- Double skin pressed from several layers MDF (Carb2) & acoustic foam.
- Non-invasive wood-glue is used to adhere layers.
- No use of mineral wool or other destructive inputs.
- Interior acoustic absorbers are fixed tightly with neutral silicone.
- Water-based paint, no use of solvents.

Fire safety	Yes (see FAQ on webpage).
CE mark	The whole booth is CE certificated.
Award	Leap in Time Future Proof Office 2019.
Virlab Seismic Qualification Certificate 203143C - Earthquake test	Passed successfully.
ISO 9001:2015	Studiobricks has passed the Quality management systems certification process successfully.
ISO 14001:2015	Studiobricks passed successfully the Environmental management systems certification process.
TÜV SÜD Indoor Air Quality Test	Successfully passed the VOC Testing.



**100% Freedom  
0% Disturbances**



OFFICE BOOTHS

# Stand Up 1-3


## Isolation

Two-way sound isolation	Yes
Acoustic measurement (dB)	45 dB (view report from independent laboratory)
<ul style="list-style-type: none"> <li>Pleasant room acoustics by the use of special acoustic absorbers (until <math>\alpha_w</math> 0.9 (depending on the frequency) sound absorption coefficient (DIN EN ISO 354).</li> <li>Sound control glass door with dark grey aluminium frame and temperature/sound edge spacer. Block of silent laminated safety glass with air chamber 3+3+16+5+5 mm (0.1+0.1+0.6+0.2+0.2 in). With acoustic sealing through lifting up the door handle.</li> </ul>	



## Standard Configuration

Color	White (RAL 9016)  WITHE
Acoustic absorber	Light grey, recycled PET.  LIGHT GRAY P
Sound control glass door	90 x 210 cm (35.4 x 82.7 in) left-hand door, opening to the outside. Anthracite aluminum frame with a block of silent laminated safety glass and temperature/sound edge spacer and air chamber: 3+3+16+5+5 mm (0.1+0.1+0.6+0.2+0.2 in). Acoustic sealing.
Power connection	2 outlets and 2 double USB port
Soundproof ventilation	Integrated fan, adjustable intensity levels, extremely quiet (only fan, no air conditioner).
Integrated lighting	LED with sensor.
Wi-fi/mobile	Wifi and cellular signals pass properly so that all devices can be used normally.
Carpet	Anthracite bound. Permanently antistatic.

## Optional Equipment

Lacquer color	Ask us for other RAL or special finishing (chrome, copper, metallic...) 
Laminate	
Acoustic absorber color	
Wheelchair accessible door with ramp	Ramp width: 92 cm (36.2 in). Two door options available: sound isolated lacquered wood door (97 cm (38.2 in) width, 85 cm (31.5 in) inside width) or glass sound control door (92 cm (36.2 in) width, 80 cm (31.5 in) inside width).
Integrated desk	Height 110 cm (43.3 in)
Left-hand opening	Yes, always opening to the outside.
Frosted glass (treated glass, no film)	Yes, on door or window.
Lockable door	Yes
Additional window	Yes, opposite to the door or desk.
Branding	Custom-made design solutions (in line with CI guidelines or adaptation to existing office).

## Measurements



100% Freedom  
0% Disturbances

## OFFICE BOOTHS

# Stand Up 1-3

---

Special coating	Special resistant acrylic surface enables frequent (dis)assembly at trade & roadshows.
Ethernet port	Yes
ON AIR signal	Illuminates to indicate occupancy. Connected to sensor.
TV bracket VESA, HDMI, power plug	Yes
Power supply through roof	Yes

**Studiobricks S.L.***(Headquarters and factory)*

C/ Segarra, 1, Pol. Ind. La Serra,

Lliçà de Vall, 08185 Barcelona, Spain

Phone: +34 93 8437459 / +34 605 627 128

info@studiobricks.com

www.studiobricks.com

**100% Freedom  
0% Disturbances**