


OFFICE BOOTHS

Eight Seater

Last Update | October 2022



Silence & freedom to focus on what matters.

Comfortable privacy for meetings. Studiobricks has been perfecting its sound control technology for over 11 years to give you the superpower of silence!

Perfect for, video conferences, meetings, or team work. Fits up to 8 people*. Office booth with the highest sound isolation in the market.

* The occupancy suggestions are for guidance only. Depending on your social distancing protocols and policies the occupancy limits may vary.

Measurements

Outside (WxLxH)	198 x 228 x 227 cm (6.5 x 7.5 x 7.4 ft)
Inside (WxLxH)	170 x 210 x 210 cm (5.7 x 6.9 x 6.9 ft)
Minimum ceiling height	250 cm (8.2 ft)
Weight	1.046 kg (2,306 lb)
Occupancy	Eight people

Structure

Wall thickness	8 cm (3.5 in)
Ecofriendly material	Yes

- Double skin pressed from several layers of fire retardant EZ (Carb2) MDF & acoustic foam.
- Non-invasive wood-glue is used to adhere layers.
- No use of mineral wool or other destructive inputs.
- Interior acoustic absorbers are fixed tightly without adhesives.
- Water-based paint, no use of solvents.

Fire safety	Yes (see FAQ on webpage).
CE mark	The whole booth is CE certificated.
Award	Leap in Time Future Proof Office 2019.
Virlab Seismic Qualification Certificate 203143C - Earthquake test	Passed successfully.
ISO 9001:2015	Studiobricks has passed the Quality management systems certification process successfully.
ISO 14001:2015	Studiobricks passed successfully the Environmental management systems certification process.
TÜV SÜD Indoor Air Quality Test	Successfully passed the VOC Testing.



**100% Freedom
0% Disturbances**



OFFICE BOOTHS

Eight Seater




Isolation	
Two-way sound isolation	Yes
Acoustic measurement (dB)	45 dB (view report from independent laboratory)

- Pleasant room acoustics by the use of special acoustic absorbers (until α_w 0.9 (depending on the frequency) sound absorption coefficient (DIN EN ISO 354).
- Sound control glass door with dark grey aluminium frame and temperature/sound edge spacer. Block of silent laminated safety glass with air chamber 3+3+16+5+5 mm (0.1+0.1+0.6+0.2+0.2 in). With acoustic sealing through lifting up the door handle.



Standard Configuration

Color	White (RAL 9016), dark grey between windows (RAL 7016). 
Acoustic absorber	Dark grey 
Sound control glass door	90 x 210 cm (35.4 x 82.7 in) sound proof with sound proof lock, left-hand opening to the outside. Anthracite aluminum frame with a block of silent laminated safety glass and temperature/sound edge spacer and air chamber: 3+3+16+5+5 mm (0.1+0.1+0.6+0.2+0.2 in). Acoustic sealing.
3 Sound control windows	1 Front and 2 back, 60 x 210 cm (23.6 x 82.7 in) with anthracite aluminum frame with a block of silent laminated safety glass and temperature/sound edge spacer with air chamber 3+3+16+5+5 mm (0.1 + 0.1 + 0.6 + 0.2 + 0.2 in).
Desk 180 x 80 cm (5.9 x 2.6 ft)	Height 74 cm (2.43 ft). Wooden edges and dark grey surface.
4 Benches	Wooden edges, cushions with dark grey fabric (other available) and round shape.
Power connection	3 power outlets in an electricity column and 1 ethernet connector. Almost all country plugs available. Black connection cable 3 m length for power supply.
Soundproof ventilation	2 Active soundproof ventilation on the roof (in and out), extremely quiet, with an intensity regulator inside and connected to the occupancy sensor.
Integrated lighting	4 LED ceiling lights with sensor.
Carpet	Anthracite bound. Permanently antistatic.

Optional Equipment

Lacquer color (walls)	Ask us for other RAL or special finishing (chrome, copper, metallic...) 
Laminate (walls)	
Furniture and acoustic absorber fabrics	Different fabric types available to choose from for cushions and acoustic absorbers. 

Measurements



100% Freedom
0% Disturbances

OFFICE BOOTHS

Eight Seater

Wheelchair accessible door with ramp	Ramp width: 92 cm (36.2 in). Glass sound control door: 92 cm (36.2 in) width, 80 cm (31.5 in) inside width.
Frosted glass (treated glass, no film)	Yes, on door or window.
Left-hand opening	Yes, always opening to the outside.
Lockable door	Yes
Take windows away	Yes, you can substitute the wondows with wall panels
Branding	Custom-made design solutions (in line with CI guidelines or adaptation to existing office).
Special coating	Special resistant acrylic surface. For trade shows and frequent (dis)assembly.
Ethernet port	Yes
Power supply through roof	Yes

Studiobricks S.L.*(Headquarters and factory)*

C/ Segarra, 1, Pol. Ind. La Serra,

Lliçà de Vall, 08185 Barcelona, Spain

Phone: +34 93 8437459 / +34 605 627 128

info@studiobricks.com

www.studiobricks.com

**100% Freedom
0% Disturbances**